

Canadian Aeronautics and Space Journal

Le Journal Aéronautique et Spatial du Canada

Published by / Publié par
Canadian Aeronautics and Space Institute / Institut Aéronautique et Spatial Canadien
130 Slater Street, Suite 818
Ottawa, Ontario, Canada K1P 6E2
Phone: 613-234-0191, Fax: 613-234-9039
Email: casi@casi.ca, Website: www.casi.ca

INDEX TO VOLUME 43, 1997

Number 1 - March / mars pp. 1 - 72

Number 2 - June / juin pp. 73 - 156

Number 3 - September / septembre pp. 157 - 212

Number 4 - December / décembre pp. 213 - 260

A

Aerodynamic Computations Using Adaptive Unstructured Grids: P. Walsh, D.W. Zingg (No. 4, December 1997)244

Al-Garni, A.Z.: Closed-Form Solutions for Flight Vehicles with High Thrust Angle (No. 3, September 1997)160

Ali Chérif, A., A. Daïf, M. Bouaziz, X. Chesneau: Étude numérique de la vaporisation de gouttes de carburant sous haute pression en convection naturelle (No. 4, Décembre 1997)222

An Eddy Current Scanning Method for the Detection of Corrosion Under Fasteners in Thick Skin Aircraft Structures: B.A. Lepine, R.T. Holt (No. 1, March 1997)28

Au, P., R. Berriche, D. Lahaie, J.P. Immarigeon: Evaluation of the Ductile to Brittle Transition Temperature of Four Aluminide Coatings (No. 1, March 1997)11

Augmentation of GPS with a Barometer and a Heading Rate Gyroscope For Navigation Under Signal Masking Conditions: N. Hayashi, G. Lachapelle (No. 2, June 1997)141

B

Bauer, R.J., T. Hong, P.C. Hughes, K.A. Carroll, G. Vukovich: Laboratory Results on 'Augmented' System Identification of Flexible Spacecraft with Nonlinearities (No. 3, September 1997)169

Berriche, R., P. Au, D. Lahaie, J.P. Immarigeon: Evaluation of the Ductile to Brittle Transition Temperature of Four Aluminide Coatings (No. 1, March 1997)11

Bird, J., G. Lachapelle, M.E. Cannon: Evaluation of GPS-Aided Artillery Positioning and Orientation Methods (No. 2, June 1997)83

Bolduc, C.R., M. F. Vinnins, D. A. Staley: Design and Implementation of the Dreo Heading Reference Unit Self-Alignment and Navigation Algorithms (No. 2, June 1997)111

Bouaziz, M., A. Daïf, A. Ali Chérif, X. Chesneau: Étude numérique de la vaporisation de gouttes de carburant sous haute pression en convection naturelle (No. 4, Décembre 1997)222

Bouchard, P., J.P. Monchalain, C. Néron, M. Choquet, R. Héon, C. Padioleau: Inspection of Composite Materials by Laser-Ultrasonics (No. 1, March 1997)34

Brassard, M., V. Mustafa, A. Chahbaz, D.R. Hay: Implementation of Guided Waves for Adhesively Bonded Structures (No. 1, March 1997)39

Bryant, J., B. Coffin, S. Ferguson, M. Imray: Horizontal and Vertical Guidance for Airborne Geophysics (No. 2, June 1997)126

C

Cain, J.S., D. Staley: Dynamics of a Tuned Rotor Gyroscope (No. 2, June 1997)106

Cain, J.S., D.A. Staley, D. Hart: Inertial Sensors in a Spacecraft Application (No. 2, June 1997)101

Cannon, M.E., S. Skone, K. Lochhead, P. Héroux, F. Lahaye: Performance Evaluation of the NRCan Wide Area System (No. 2, June 1997)92

Cannon, E., C. C. Varner: The Effects of Altitude on GPS Dilution of Precision and Coverage (No. 2, June 1997)76

Cannon, M.E., G. Lachapelle, J. Bird: Evaluation of GPS-Aided Artillery Positioning and Orientation Methods (No. 2, June 1997)83

Carroll, K.A., T. Hong, R.J. Bauer, P.C. Hughes, G. Vukovich: Laboratory Results on 'Augmented' System Identification of Flexible Spacecraft with Nonlinearities (No. 3, September 1997)169

Chahbaz, A., V. Mustafa, D.R. Hay, M. Brassard: Implementation of Guided Waves for Adhesively Bonded Structures (No. 1, March 1997)39

Chesneau, X., A. Daïf, M. Bouaziz, A. Ali Chérif: Étude numérique de la vaporisation de gouttes de carburant sous haute pression en convection naturelle (No. 4, Décembre 1997)222

Choquet, M., J.P. Monchalain, C. Néron, P. Bouchard, R. Héon, C. Padioleau: Inspection of Composite Materials by Laser-Ultrasonics (No. 1, March 1997)34

Closed-Form Solutions for Flight Vehicles with High Thrust Angle: A.Z. Al-Garni (No. 3, September 1997)160

Coffin, B., J. Bryant, S. Ferguson, M. Imray: Horizontal and Vertical Guidance for Airborne Geophysics (No. 2, June 1997)126

Corrosion Maintenance Through Knowledge Re-Use: The CP140 Aurora: N.J. Townley, P.R. Roberge, M.A. Little (No. 3, September 1997)189

D

Daïf, A., M. Bouaziz, A. Ali Chérif, X. Chesneau: Étude numérique de la vaporisation de gouttes de carburant sous haute pression en convection naturelle (No. 4, Décembre 1997)222

Design and Implementation of the Dreo Heading Reference Unit Self-Alignment and Navigation Algorithms: C.R. Bolduc, M. F. Vinnins, D. A. Staley (No. 2, June 1997)111

Canadian Aeronautics and Space Journal

Le Journal Aéronautique et Spatial du Canada

Published by / Publié par
Canadian Aeronautics and Space Institute / Institut Aéronautique et Spatial Canadien
130 Slater Street, Suite 818
Ottawa, Ontario, Canada K1P 6E2
Phone: 613-234-0191, Fax: 613-234-9039
Email: casi@casi.ca, Website: www.casi.ca

INDEX TO VOLUME 43, 1997

Number 1 - March / mars pp. 1 - 72

Number 2 - June / juin pp. 73 - 156

Number 3 - September / septembre pp. 157 - 212

Number 4 - December / décembre pp. 213 - 260

A

Aerodynamic Computations Using Adaptive Unstructured Grids: P. Walsh, D.W. Zingg (No. 4, December 1997)244

Al-Garni, A.Z.: Closed-Form Solutions for Flight Vehicles with High Thrust Angle (No. 3, September 1997)160

Ali Chérif, A., A. Daïf, M. Bouaziz, X. Chesneau: Étude numérique de la vaporisation de gouttes de carburant sous haute pression en convection naturelle (No. 4, Décembre 1997)222

An Eddy Current Scanning Method for the Detection of Corrosion Under Fasteners in Thick Skin Aircraft Structures: B.A. Lepine, R.T. Holt (No. 1, March 1997)28

Au, P., R. Berriche, D. Lahaie, J.P. Immarigeon: Evaluation of the Ductile to Brittle Transition Temperature of Four Aluminide Coatings (No. 1, March 1997)11

Augmentation of GPS with a Barometer and a Heading Rate Gyroscope For Navigation Under Signal Masking Conditions: N. Hayashi, G. Lachapelle (No. 2, June 1997)141

B

Bauer, R.J., T. Hong, P.C. Hughes, K.A. Carroll, G. Vukovich: Laboratory Results on 'Augmented' System Identification of Flexible Spacecraft with Nonlinearities (No. 3, September 1997)169

Berriche, R., P. Au, D. Lahaie, J.P. Immarigeon: Evaluation of the Ductile to Brittle Transition Temperature of Four Aluminide Coatings (No. 1, March 1997)11

Bird, J., G. Lachapelle, M.E. Cannon: Evaluation of GPS-Aided Artillery Positioning and Orientation Methods (No. 2, June 1997)83

Bolduc, C.R., M. F. Vinnins, D. A. Staley: Design and Implementation of the Dreo Heading Reference Unit Self-Alignment and Navigation Algorithms (No. 2, June 1997)111

Bouaziz, M., A. Daïf, A. Ali Chérif, X. Chesneau: Étude numérique de la vaporisation de gouttes de carburant sous haute pression en convection naturelle (No. 4, Décembre 1997)222

Bouchard, P., J.P. Monchalain, C. Néron, M. Choquet, R. Héon, C. Padioleau: Inspection of Composite Materials by Laser-Ultrasonics (No. 1, March 1997)34

Brassard, M., V. Mustafa, A. Chahbaz, D.R. Hay: Implementation of Guided Waves for Adhesively Bonded Structures (No. 1, March 1997)39

Bryant, J., B. Coffin, S. Ferguson, M. Imray: Horizontal and Vertical Guidance for Airborne Geophysics (No. 2, June 1997)126

C

Cain, J.S., D. Staley: Dynamics of a Tuned Rotor Gyroscope (No. 2, June 1997)106

Cain, J.S., D.A. Staley, D. Hart: Inertial Sensors in a Spacecraft Application (No. 2, June 1997)101

Cannon, M.E., S. Skone, K. Lochhead, P. Héroux, F. Lahaye: Performance Evaluation of the NRCan Wide Area System (No. 2, June 1997)92

Cannon, E., C. C. Varner: The Effects of Altitude on GPS Dilution of Precision and Coverage (No. 2, June 1997)76

Cannon, M.E., G. Lachapelle, J. Bird: Evaluation of GPS-Aided Artillery Positioning and Orientation Methods (No. 2, June 1997)83

Carroll, K.A., T. Hong, R.J. Bauer, P.C. Hughes, G. Vukovich: Laboratory Results on 'Augmented' System Identification of Flexible Spacecraft with Nonlinearities (No. 3, September 1997)169

Chahbaz, A., V. Mustafa, D.R. Hay, M. Brassard: Implementation of Guided Waves for Adhesively Bonded Structures (No. 1, March 1997)39

Chesneau, X., A. Daïf, M. Bouaziz, A. Ali Chérif: Étude numérique de la vaporisation de gouttes de carburant sous haute pression en convection naturelle (No. 4, Décembre 1997)222

Choquet, M., J.P. Monchalain, C. Néron, P. Bouchard, R. Héon, C. Padioleau: Inspection of Composite Materials by Laser-Ultrasonics (No. 1, March 1997)34

Closed-Form Solutions for Flight Vehicles with High Thrust Angle: A.Z. Al-Garni (No. 3, September 1997)160

Coffin, B., J. Bryant, S. Ferguson, M. Imray: Horizontal and Vertical Guidance for Airborne Geophysics (No. 2, June 1997)126

Corrosion Maintenance Through Knowledge Re-Use: The CP140 Aurora: N.J. Townley, P.R. Roberge, M.A. Little (No. 3, September 1997)189

D

Daïf, A., M. Bouaziz, A. Ali Chérif, X. Chesneau: Étude numérique de la vaporisation de gouttes de carburant sous haute pression en convection naturelle (No. 4, Décembre 1997)222

Design and Implementation of the Dreo Heading Reference Unit Self-Alignment and Navigation Algorithms: C.R. Bolduc, M. F. Vinnins, D. A. Staley (No. 2, June 1997)111

| | |
|---|-----|
| Digital Redesign of the NRC BELL 205 Artificial Feel System: A.W. Gubbels, K.R. Goheen (No. 1, March 1997) | 57 |
| DuQuesnay, D.L., P.R. Underhill, G. Goring: The Effect of Surface Preparation and Environmental Conditions on rylic Adhesive Bond Properties (No. 4, December 1997) | 216 |
| Dynamics of a Tuned Rotor Gyroscope: D. Staley, J.S. Cain (No. 2, June 1997) | 106 |

E

| | |
|--|-----|
| Editorial/éditorial: Chris McMillan (No. 2, June 1997) | 75 |
| Editorial/Éditorial: W.R. Sturrock (No. 1, March 1997) | 4 |
| Edge of Light Enhanced Optical NDI Technique, The: D.S. Forsyth, J.P. Komorowski, A. Marincak, R.W. Gould (No. 4, December 1997) ... | 231 |
| Effect of Surface Preparation and Environmental Conditions on rylic Adhesive Bond Properties, The : P.R. Underhill, G. Goring, D.L. DuQuesnay (No. 4, December 1997) | 216 |
| Effects of Altitude on GPS Dilution of Precision and Coverage, The : C. C. Varner, E. Cannon (No. 2, June 1997) | 76 |
| Étude numérique de la vaporisation de gouttes de carburant sous haute pression en convection naturelle: A. Daïf, M. Bouaziz, A. Ali Chérif, X. Chesneau (No. 4, Decembre 1997) | 222 |
| Evaluation of GPS-Aided Artillery Positioning and Orientation Methods: G. Lachapelle, M.E. Cannon, J. Bird (No. 2, June 1997) | 83 |
| Evaluation of the Ductile to Brittle Transition Temperature of Four Aluminide Coatings: R. Berriche, P. Au, D. Lahaie, J.P. Immarigeon (No. 1, March 1997) | 11 |

F

| | |
|--|-----|
| Fahr, A., D. S. Forsyth, N. Martineau: Inspection Reliability Assessment (No. 1, March 1997) | 50 |
| Fahr, A., D.S. Forsyth: Results of a Round Robin Inspection Reliability Study (No. 1, March 1997) | 6 |
| Ferguson, S., J. Bryant, B. Coffin, M. Imray: Horizontal and Vertical Guidance for Airborne Geophysics (No. 2, June 1997) | 126 |
| Forsyth, D. S., A. Fahr, N. Martineau: Inspection Reliability Assessment (No. 1, March 1997) | 50 |
| Forsyth, D.S., A. Fahr: Results of a Round Robin Inspection Reliability Study (No. 1, March 1997) | 6 |
| Forsyth, D.S., J.P. Komorowski, A. Marincak, R.W. Gould: The Edge of Light Enhanced Optical NDI Technique (No. 4, December 1997) | 231 |

G

| | |
|---|-----|
| Global-Local Three Dimensional Finite Element Modeling Approach for Bonded Patch Repair of Thick Sections, A : Y. Xiong, M.D. Raizenne (No. 4, December 1997) | 236 |
| Goheen, K.R., A.W. Gubbels: Digital Redesign of the NRC BELL 205 Artificial Feel System (No. 1, March 1997) | 57 |
| Goring, G., P.R. Underhill, D.L. DuQuesnay: The Effect of Surface Preparation and Environmental Conditions on rylic Adhesive Bond Properties (No. 4, December 1997) | 216 |
| Gould, R.W., D.S. Forsyth, J.P. Komorowski, A. Marincak: The Edge of Light Enhanced Optical NDI Technique (No. 4, December 1997) | 231 |
| Gubbels, A.W., K.R. Goheen: Digital Redesign of the NRC BELL 205 Artificial Feel System (No. 1, March 1997) | 57 |
| Gyro Stabilized Airborne Gravimetry Platform, A : J.S. Sinkiewicz, D.A. Hart, D.A. Staley, M. Vinnins (No. 2, June 1997) | 123 |

H

| | |
|---|-----|
| Hart, D., J.S. Cain, D.A. Staley: Inertial Sensors in a Spacecraft Application (No. 2, June 1997) | 101 |
| Hart, D.A., J.S. Sinkiewicz, D.A. Staley, M. Vinnins: A Gyro Stabilized Airborne Gravimetry Platform (No. 2, June 1997) | 123 |
| Hay, D.R., V. Mustafa, A. Chahbaz, M. Brassard: Implementation of Guided Waves for Adhesively Bonded Structures (No. 1, March 1997) | 39 |
| Hayashi, N., G. Lachapelle: Augmentation of GPS with a Barometer and a Heading Rate Gyroscope For Navigation Under Signal Masking Conditions (No. 2, June 1997) | 141 |

| | |
|--|----|
| Héon, J.P. Monchalain, C. Néron, P. Bouchard, M. Choquet, C. Padioleau: Inspection of Composite Materials by Laser-Ultrasonics (No. 1, March 1997) | 34 |
| Héroux, P., S. Skone, M. E. Cannon, K. Lochhead, F. Lahaye: Performance Evaluation of the NRCan Wide Area System (No. 2, June 1997) | 92 |

| | |
|--|-----|
| High Quality Measurements of Position and Orientation Using Low Cost Components: J.J. Hutton, B.M. Scherzinger, J.C. McMillan (No. 2, June 1997) | 135 |
| Holt, R.T., B.A. Lepine: An Eddy Current Scanning Method for the Detection of Corrosion Under Fasteners in Thick Skin Aircraft Structures (No. 1, March 1997) | 28 |
| Hong, T., R.J. Bauer, P.C. Hughes, K.A. Carroll, G. Vukovich: Laboratory Results on 'Augmented' System Identification of Flexible Spacecraft with Nonlinearities (No. 3, September 1997) | 169 |
| Horizontal and Vertical Guidance for Airborne Geophysics: J. Bryant, B. Coffin, S. Ferguson, M. Imray (No. 2, June 1997) | 126 |
| Hughes, P.C. T. Hong, R.J. Bauer, K.A. Carroll, G. Vukovich: Laboratory Results on 'Augmented' System Identification of Flexible Spacecraft with Nonlinearities (No. 3, September 1997) | 169 |
| Hutton, J. J., B.M. Scherzinger, J.C. McMillan: High Quality Measurements of Position and Orientation Using Low Cost Components: (No. 2, June 1997) | 135 |
| Hypervelocity Impact Tests on Composite Boom Structures for Space Robot Applications: G. D. Shortliffe, R. C. Tennyson (No. 3, September 1997) | 195 |

I

| | |
|--|-----|
| Immarigeon, J.P., R. Berriche, P. Au, D. Lahaie: Evaluation of the Ductile to Brittle Transition Temperature of Four Aluminide Coatings (No. 1, March 1997) .. | 11 |
| Implementation of Guided Waves for Adhesively Bonded Structures: V. Mustafa, A. Chahbaz, D.R. Hay, M. Brassard (No. 1, March 1997) .. | 39 |
| Imray, M., J. Bryant, B. Coffin, S. Ferguson: Horizontal and Vertical Guidance for Airborne Geophysics (No. 2, June 1997) | 126 |
| Inertial Sensors in a Spacecraft Application: J.S. Cain, D.A. Staley, D. Hart (No. 2, June 1997) | 101 |
| Inspection of Composite Materials by Laser-Ultrasonics: J.P. Monchalain, C. Néron, P. Bouchard, M. Choquet, R. Héon, C. Padioleau (No. 1, March 1997) ... | 34 |
| Inspection Reliability Assessment: D. S. Forsyth, A. Fahr, N. Martineau (No. 1, March 1997) | 50 |

K

| | |
|--|-----|
| Khalid, M., Y. Sun: Numerical Simulation of Rotor-Fuselage Interaction (No. 3, September 1997) | 176 |
| Komorowski, J.P., D.S. Forsyth, A. Marincak, R.W. Gould: The Edge of Light Enhanced Optical NDI Technique (No. 4, December 1997) | 231 |

L

| | |
|---|-----|
| Laboratory Results on 'Augmented' System Identification of Flexible Spacecraft with Nonlinearities: T. Hong, R.J. Bauer, P.C. Hughes, K.A. Carroll, G. Vukovich (No. 3, September 1997) | 169 |
| Lachapelle, G., N. Hayashi: Augmentation of GPS with a Barometer and a Heading Rate Gyroscope For Navigation Under Signal Masking Conditions (No. 2, June 1997) | 141 |
| Lachapelle, G., M.E. Cannon, J. Bird: Evaluation of GPS-Aided Artillery Positioning and Orientation Methods (No. 2, June 1997) | 83 |
| Lahaie, D., R. Berriche, P. Au, J.P. Immarigeon: Evaluation of the Ductile to Brittle Transition Temperature of Four Aluminide Coatings (No. 1, March 1997) | 11 |
| Lahaye, F., S. Skone, M. E. Cannon, K. Lochhead, P. Héroux: Performance Evaluation of the NRCan Wide Area System (No. 2, June 1997) | 92 |
| Lepine, B.A., R.T. Holt: An Eddy Current Scanning Method for the Detection of Corrosion Under Fasteners in Thick Skin Aircraft Structures (No. 1, March 1997) | 28 |
| Little, M.A., N.J. Townley, P.R. Roberge: Corrosion Maintenance Through Knowledge Re-Use: The CP140 Aurora (No. 3, September 1997) | 189 |
| Lochhead, K., S. Skone, M. E. Cannon, P. Héroux, F. Lahaye: Performance Evaluation of the NRCan Wide Area System (No. 2, June 1997) | 92 |

M

| | |
|---|-----|
| Mackie, S.D., X.J. Wu: On the Use of Ultrasonic Contact-Impedance for NDI of Heat Damaged 7050 Aluminum Alloy (No. 1, March 1997) | 25 |
| Marincak, A., D.S. Forsyth, J.P. Komorowski, R.W. Gould: The Edge of Light Enhanced Optical NDI Technique (No. 4, December 1997) | 231 |
| Martineau, N., D. S. Forsyth, A. Fahr: Inspection Reliability Assessment (No. 1, March 1997) | 50 |
| McMillan, C.: Editorial/éditorial (No. 2, June 1997) | 75 |
| McMillan, J.C., J. J. Hutton, B.M. Scherzinger: High Quality Measurements of Position and Orientation Using Low Cost Components: (No. 2, June 1997) | 135 |
| McRae, K.I.: Ultrasonic Imaging of Fatigue Cracks Under Fasteners (No. 1, March 1997) | 44 |
| Monchalín, J.P., C. Néron, P. Bouchard, M. Choquet, R. Héon, C. Padioleau: Inspection of Composite Materials by Laser-Ultrasonics (No. 1, March 1997) | 34 |
| Mustafa, V., A. Chahbaz, D.R. Hay, M. Brassard: Implementation of Guided Waves for Adhesively Bonded Structures (No. 1, March 1997) | 39 |

N

| | |
|---|-----|
| Néron, C., J.P. Monchalín, P. Bouchard, M. Choquet, R. Héon, C. Padioleau: Inspection of Composite Materials by Laser-Ultrasonics (No. 1, March 1997) | 34 |
| Numerical Simulation of Rotor-Fuselage Interaction: M. Khalid, Y. Sun (No. 3, September 1997) | 176 |

O

| | |
|--|----|
| On the Use of Ultrasonic Contact-Impedance for NDI of Heat Damaged 7050 Aluminum Alloy: S.D. Mackie, X.J. Wu (No. 1, March 1997) | 25 |
|--|----|

P

| | |
|---|----|
| Padioleau, C., J.P. Monchalín, C. Néron, P. Bouchard, M. Choquet, R. Héon: Inspection of Composite Materials by Laser-Ultrasonics (No. 1, March 1997) | 34 |
| Performance Evaluation of the NRCan Wide Area System: S. Skone, M. E. Cannon, K. Lochhead, P. Héroux, F. Lahaye (No. 2, June 1997) | 92 |

R

| | |
|--|-----|
| Raizenne, M.D., Y. Xiong: A Global-Local Three Dimensional Finite Element Modeling Approach for Bonded Patch Repair of Thick Sections (No. 4, December 1997) | 236 |
| Results of a Round Robin Inspection Reliability Study: A. Fahr, D.S. Forsyth (No. 1, March 1997) | 6 |
| Retractable Undercarriage Safety: J.J. Scoles (No. 3, September 1997) | 184 |
| Roberge, P.R., N.J. Townley, M.A. Little: Corrosion Maintenance Through Knowledge Re-Use: The CP140 Aurora (No. 3, September 1997) | 189 |

S

| | |
|---|-----|
| Scherzinger, B.M., J. J. Hutton, J.C. McMillan: High Quality Measurements of Position and Orientation Using Low Cost Components: (No. 2, June 1997) | 135 |
| Scoles, J.J.: Retractable Undercarriage Safety (No. 3, September 1997) | 184 |
| Shortliffe, G. D., R. C. Tennyson: Hypervelocity Impact Tests on Composite Boom Structures for Space Robot Applications (No. 3, September 1997) | 195 |
| Sinkiewicz, J.S., D.A. Hart, D.A. Staley, M. Vinnins: A Gyro Stabilized Airborne Gravimetry Platform (No. 2, June 1997) | 123 |
| Skone, S., M. E. Cannon, K. Lochhead, P. Héroux, F. Lahaye: Performance Evaluation of the NRCan Wide Area System (No. 2, June 1997) | 92 |
| Staley, D. A., C.R. Bolduc, M. F. Vinnins: Design and Implementation of the Dreo Heading Reference Unit Self-Alignment and Navigation Algorithms (No. 2, June 1997) | 111 |
| Staley, D., J.S. Cain: Dynamics of a Tuned Rotor Gyroscope (No. 2, June 1997) | 106 |
| Staley, D.A., J.S. Sinkiewicz, D.A. Hart, M. Vinnins: A Gyro Stabilized Airborne Gravimetry Platform (No. 2, June 1997) | 123 |
| Staley, D.A., J.S. Cain, D. Hart: Inertial Sensors in a Spacecraft Application (No. 2, June 1997) | 101 |

| | |
|--|-----|
| Sun, Y., M. Khalid: Numerical Simulation of Rotor-Fuselage Interaction (No. 3, September 1997) | 176 |
|--|-----|

T

| | |
|---|-----|
| Tennyson, R. C., G. D. Shortliffe: Hypervelocity Impact Tests on Composite Boom Structures for Space Robot Applications (No. 3, September 1997) | 195 |
|---|-----|

U

| | |
|--|-----|
| Ultrasonic Imaging of Fatigue Cracks Under Fasteners: K.I. McRae (No. 1, March 1997) | 44 |
| Underhill, P.R., G. Goring, D.L. DuQuesnay: The Effect of Surface Preparation and Environmental Conditions onrylic Adhesive Bond Properties (No. 4, December 1997) | 216 |

V

| | |
|--|-----|
| Varner, C. C., E. Cannon: The Effects of Altitude on GPS Dilution of Precision and Coverage: (No. 2, June 1997) | 76 |
| Vinnins, M., J.S. Sinkiewicz, D.A. Hart, D.A. Staley: A Gyro Stabilized Airborne Gravimetry Platform (No. 2, June 1997) | 123 |
| Vinnins, M. F., C.R. Bolduc, D. A. Staley: Design and Implementation of the Dreo Heading Reference Unit Self-Alignment and Navigation Algorithms (No. 2, June 1997) | 111 |
| Vukovich, G., T. Hong, R.J. Bauer, P.C. Hughes, K.A. Carroll: Laboratory Results on 'Augmented' System Identification of Flexible Spacecraft with Nonlinearities (No. 3, September 1997) | 169 |

W

| | |
|---|-----|
| W.R. Sturrock: Editorial/Éditorial (No. 1, March 1997) | 4 |
| Walsh, P., D.W. Zingg: Aerodynamic Computations Using Adaptive Unstructured Grids (No. 4, December 1997) | 244 |
| Wu, X.J., S.D. Mackie: On the Use of Ultrasonic Contact-Impedance for NDI of Heat Damaged 7050 Aluminum Alloy (No. 1, March 1997) | 25 |

X

| | |
|--|-----|
| Xiong, Y., M.D. Raizenne: A Global-Local Three Dimensional Finite Element Modeling Approach for Bonded Patch Repair of Thick Sections (No. 4, December 1997) | 236 |
|--|-----|

Z

| | |
|--|-----|
| Zingg, D.W., P. Walsh: Aerodynamic Computations Using Adaptive Unstructured Grids (No. 4, December 1997) | 244 |
|--|-----|

